



ELEMENTS PAINTED WITH CATAPHORESIS DOUBLE LAYER
THIRD WORLD WIDE INDUSTRIAL GROUP
CE CONTROL CERTIFICATION


**10 YEARS GUARANTY** 



## **ALUMINIUM RADIATOR**















				DIM	IENSIO	NS Y TH	ERMAL	CHAR	RACTER	RISTIC	S	,				
MODEL	ISO 3147 - 3150 / CE EN-442							A	В	С	D	Е	F	G	WATER	WEIGHT
MAXI	∆T = 60°C		∆T = 50°C		∆T = 40°C					ŭ			10.548		CAPACITY	ELEMENT
	WATT	KCAL/H	WATT	KCAL/H	WATT	KCAL/H	η	ММ	ММ	ММ	ММ	ММ	ММ	INCH	LITRE	KG
350	98.2	84.5	77.9	67	58.7	50.5	1.324	419	350	80	74	25	120	1	0.28	0.88
500	128	110	101	86.9	75.6	65	1.320	568	500	80	74	25	120	1	0.34	0.108
600	148	127	117	101	87.5	75.3	1.285	668	600	80	74	25	120	1	0.39	1.30

Output in Watt/hr room temperature through tests according ISO 3147-3150.

Other Output Q = Qu  $(\Delta t/60)^{\eta}$ 

Maximun Operating Pressure: 800 KPa - Surface Temperature: 120 °C maximum

Version: 08/2018















