

# RADIATORS



# ALL THERM

ELEMENTS PAINTED WITH CATAPHORESIS DOUBLE LAYER  
THIRD WORLD WIDE INDUSTRIAL GROUP  
TUV NF CONTROL CERTIFICATION

**10 YEARS GUARANTY**




# ALUMINIUM RADIATOR

# CALORIE



RAL  
9010



DIMENSIONS Y THERMAL CHARACTERISTICS

MODEL	ISO 3147 - 3150										A	B	C	D	E	F	G	WATER CAPACITY	WEIGHT PER ELEMENT
CALORIE	$\Delta T = 60^{\circ}\text{C}$			$\Delta T = 50^{\circ}\text{C}$			$\Delta T = 40^{\circ}\text{C}$			$\eta$	MM	MM	MM	MM	MM	MM	INCH	LITRE	KG
	WATT	KCAL/H	BTU/H	WATT	KCAL/H	BTU/H	WATT	KCAL/H	BTU/H										
350	110	95	377	87	75	296	65	56	220	1,323	430	350	78	80	25	120	1	0.29	1.10
500	146	126	500	115	99	392	85	73	291	1.335	580	500	78	80	25	120	1	0.34	1.35
600	170	146	579	133	114	453	98	85	335	1,348	680	600	78	80	25	120	1	0.38	1.55

Output in Watt/hr room temperature through tests according ISO 3147-3150.

Other Output  $Q_r = Q_u \left( \frac{\Delta \tau}{60} \right) \eta$



# ALL THERM



## ALL THERM (GIBRALTAR) LTD

### HEADQUARTERS :

World Trade Center  
6 Bayside Road 1st Floor – Unit 1.02  
GX1 1AA Gibraltar  
☎ (+350) 200 60207  
✉ [info@allthermgroup.com](mailto:info@allthermgroup.com)

