

# RADIATORS




# ALL THERM

ELEMENTS PAINTED WITH CATAPHORESIS DOUBLE LAYER  
THIRD WORLD WIDE INDUSTRIAL GROUP  
TUV NF CONTROL CERTIFICATION  
**10 YEARS GUARANTY**



# ALUMINIUM RADIATOR

# TERMO



DIMENSIONS Y THERMAL CHARACTERISTICS

MODEL	ISO 3147 - 3150										A	B	C	D	E	F	G	WATER CAPACITY	WEIGHT PER ELEMENT
	ΔT = 60°C			ΔT = 50°C			ΔT = 40°C			η									
TERMO	WATT	KCAL/H	BTU/H	WATT	KCAL/H	BTU/H	WATT	KCAL/H	BTU/H			MM	MM	MM	MM	MM	MM	INCH	LITRE
200	95	82	325	76	65	259	58	50	197	1.240	288	200	16	60	25	120	1	0.5	1.08
500	145	125	496	114	98	390	85	73	291	1.317	580	500	90	60	25	120	1	0.45	1.35

Output in Watt/hr a 60°C room temperature through tests according ISO 3147-3150. Other Output Q = Qu  $\left(\frac{\Delta \tau}{60}\right)^{1.7}$



## ALL THERM (GIBRALTAR) LTD

### HEADQUARTERS :

World Trade Center  
6 Bayside Road 1st Floor - Unit 1.02  
GX1 1AA Gibraltar  
☎ (+350) 200 60207  
✉ info@allthermgroup.com

